

Human HMGB1, His-SUMO Tag, HEK293

Catalog Number LDG001PHM

Package 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Human

Affinity Tag

His-SUMO Tag (N-term)

Purity

>98% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to induce TNF alpha in RAW264.7 cells. The ED $_{50}$ for this effect is <10 $\mu g/mL$.

Form

Lyophilized

Expression System

HEK293

Storage Buffer

Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 36.42 kDa. The protein migrates as 35-48 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin Level

<0.1 EU per 1 μg of the protein by the LAL method.

Background



Background

High mobility group protein B1 protein (HMGB1) is the high mobility group box family of nonhistone chromosomal proteins. Human HMGB1 is expressed as a 25 kDa single chain polypeptide containing three domains: two N-terminal HMG boxes A and B, and a negatively charged 30 a.a. C-terminal region that contains only Asp and Glu. Post-translational modification on HMGB1 have been reported, affects its localization, receptor interactions, and function. HMGB1, with a disulfide bond between C23 and C45, have been reported that cause cytokine production and the activation of NF-kB. Otherwise, the fully oxidized form has no immune function, losing its proinflammatory effect and the apoptotic cell death activation function.

Synonyms

High mobility group protein B1, High mobility group protein 1, HMG-1

Uniprot ID

#P09429

Sequence Note

Met1-Asp169

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 200 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.




Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image



SDS-PAGE analysis of recombinant human HMGB1.

Disclaimer: For Research Use or Further Manufacturing Only.