

Mouse HMGB1, His Tag, E. coli

Catalog Number LDG002PME

Package

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression System
Mouse	Escherichia coli
Affinity Tag	Storage Buffer
His Tag (C torm)	I ventilized from 2.0.2 um filtered colution of
His Tag (C-term)	Lyophilized from a 0.2 μ m filtered solution of
	PBS, pH 7.4.
Purity	Molecular weight
>95% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 25.56 kDa.
	The protein migrates as 25-35 kDa under
	reducing condition (SDS-PAGE analysis).
Activity	Endotoxin Level
Measure by its ability to induce TNF alpha in	<0.1 EU per 1 μ g of the protein by the LAL
RAW264.7 cells. The ED ₅₀ for thiseffect is <15	method.
ng/mL.	
-	

Form

Lyophilized

Background

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



Background

High Mobility Group protein B1 protein (HMGB1) is the high mobility group box family of nonhistone chromosomal proteins. Human HMGB1 is expressed as a 25 kDa single chain polypeptide containing three domains: two N-terminal HMG boxes A and B, and a negatively charged 30 a.a. C-terminal region that contains only Asp and Glu. Post-translational modification on HMGB1 have been reported, affects its localization, receptor interactions, and function. HMGB1, with a disulfide bond between C23 and C45, have been reported that cause cytokine production and the activation of NF-KB. Otherwise, the fully oxidized form has no immune function, losing its proinflammatory effect and the apoptotic cell death activation function.

Synonyms

High mobility group protein B1, High mobility group protein 1, HMG-1

Sequence Note

Met1-Asp169

Uniprot ID

#P63158

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Tainan Headquarter

☑ bd@leadgene.com.tw

Innovation & Research Center

CLD Center

& +886-6-2536677

® +886-2-27065528

& +886-6-2536677



Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image

kDa	M
75	
60	
45	
35	-
25	
15	
10	

SDS-PAGE analysis of recombinant mouse HMGB1.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw