

Anti-SARS-CoV-2 NP Antibody [Clone 37-3]

Catalog Number LDG0085YA

Package Customized package / 100 µg

For full product information, images and publications, please visit [our website](#).



Overview

Description

Mouse anti-SARS-CoV & CoV-2 NP mAb recognize SARS Coronavirus Nucleocapsid protein (NP). Coronavirus NP localize to the cytoplasm and the nucleolus in both Virus-like particle (VLP) infected primary cells and in cells transfected with NP plasmid. NP has abundant expression in coronavirus and is a highly immunogenic phosphoprotein. NP is also conserved in sequence. Due to these characteristics above, the NP is an ideal marker for diagnosis.

Product Note

Recommended dilution factor:

ELISA: 1:5000-20000

WB:1: 1000-5000

IFA:1: 500-1000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications

Host

Mouse

Isotype

IgG1

Clonality

Monoclonal

Clone Name

clone 37-3

Immunogen

Nucleocapsid protein (NP)

Application

ELISA, WB, IFA

Concentration

1 mg/mL

Specificity

Nucleocapsid protein

Reactivity

SARS-CoV & CoV-2

Conjugation

Unconjugated

Storage BufferPhosphate Buffered Saline containing 0.03%
ProClin 300, pH 7.4.**Form**

Liquid

Instruction**Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage




This product is stable after storage at:


- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles.


Suggestion: Divide antibody into several vials.

Keep only vials for usage at 2-8°C.

Image**Tainan Headquarter** +886-6-2536677 bd@leadgene.com.tw**Innovation & Research Center** +886-2-27065528**CLD Center** +886-6-2536677



Immunofluorescence analysis of Mouse anti-SARS-CoV & CoV-2 NP mAb, clone 37-3 (1:500)



ELISA titration of Mouse anti-SARS-CoV & CoV-2 NP mAb, clone 37-3
Titration curve of anti-DENV NS4B antibody in ELISA.

	Mutations	Variant
1	D3L, S235F	Alpha (B.1.1.7)
2	T205I	Beta (B.1.351)
3	P80R	Gamma (P.1)
4	D377Y	(B.1.617)
5	P199L, M234I	Iota (B.1.526)
6	A12G, T205I	Eta (B.1.525)
7	R203M, D377Y	Kappa (B.1.617.1)
8	G18S, A119S, A217S, M234I, E367Q	(B.1.618)
9	D63G, R203M, D377Y	Delta (B.1.617.2)
10	P67S, R203M, D377Y	(B.1.617.3)
11	P13L, R203K, G204R, G214C	Lambda (C.37)
12	D63G, R203M, G215C, D377Y	Delta plus (AY.1)

Recognition of mutant coronavirus nucleocapsid proteins.
Recognize SARS-CoV & CoV-2 NP in Lateral Flow, when monoclonal antibody was paired with Human anti-SARS-CoV & CoV-2 NP Antibody (IgG) (LDG0076YA).
Recognize SARS-CoV & CoV-2 NP in ELISA, when monoclonal antibody was paired with Mouse anti-SARS-CoV & CoV-2 NP mAb, clone 109-5 (LDG0084YA).

Disclaimer : For Research Use or Further Manufacturing Only.