

# Swine IL-2, His Tag, E. coli

 Catalog Number
 LDG010PSE

 Package
 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



## **Specifications**

### **Species of Origin**

Swine

## **Affinity Tag**

His Tag (C-term)

### **Purity**

>98% as determined by SDS-PAGE analysis.

## **Activity**

Measure by its ability to induce proliferation in CTLL2 cells. The ED $_{50}$  for this effect is <0.5 ng/mL.

### **Form**

Lyophilized

## **Expression System**

Escherichia coli

### **Storage Buffer**

Lyophilized from a 0.2  $\mu m$  filtered solution of PBS, pH 7.4.

### Molecular weight

The protein has a calculated MW of 16.2 kDa. The protein migrates as 13 kDa under reducing condition (SDS-PAGE analysis).

### **Endotoxin Level**

<0.1 EU per 1  $\mu g$  of the protein by the LAL method.

## **Background**



### **Background**

Interleukin-2 (IL-2) is a four bundle, immunomodulatory cytokine which is expressed predominately by antigen-simulated CD4+ T cells, CD8+ T cells, natural killer (NK) cells, and dendritic cells (DC). IL-2 plays a fundamental role in promoting NK cell proliferation, cytotoxicity, and B cells differentiation. IL-2 modulate T cell differentiation programs, promoting naïve CD4+ T cell differentiation into T helper-1 (Th1) and T helper-2 (Th2) cells.

### **Synonyms**

Interleukin-2, T-cell Growth Factors, TCGF

## **Uniprot ID**

#P26891

#### **Sequence Note**

Ala21-Thr154

### Instruction

#### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile  $H_2O$  to a concentration not less than 200  $\mu$ g/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

### **Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

### Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

### **Image**





SDS-PAGE analysis of recombinant swine IL-2.

**Disclaimer:** For Research Use or Further Manufacturing Only.