

Human IGFBP7, His-SUMO Tag, HEK293

Catalog Number LDG015PHM

Package 5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Human

Affinity Tag

His-SUMO Tag (N-term)

Purity

>95% as determined by SDS-PAGE analysis.

Endotoxin Level

<1 EU per 1 µg of the protein by the LAL method.

Expression System

HEK293

Storage Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 38.18 kDa. The protein migrates as 55 kDa under reducing condition (SDS-PAGE analysis).

Form

Lyophilized

Background

Tainan Headquarter

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

IGFBP7, also known as mac25, prostacyclin-stimulating factor (PSF), tumor adhesion factor (TAF), and angiomodulin (AGM), is a secreted protein that belongs to the insulin-like growth factor (IGF)-binding protein (IGFBP) family. In contrast to the other family members, IGFBP7 binds IGFs through the N-terminal domain with low affinity. IGFBP7 is expressed in various human tissues, including the brain, liver, pancreas, and skeletal muscle, and is secreted into circulation. IGF-BP7 modulates many biological functions, such as protein synthesis, proliferation, anti-apoptosis, and cell survival. Moreover, it has been reported that IGFBP7 promotes cardiac senescence through IGF-1R/IRS/AKT-dependent suppression of FOXO3a, inhibiting DNA repair, subsequently the leading to the progression of Heart failure. Human and mouse IGFBP7 are highly homologous, sharing 94% a.a. sequence identity.

Uniprot ID

#Q16270

Synonyms

IGFBP-rP1, MAC25 protein, PGI2-stimulating factor, Prostacyclin-stimulating factor, Tumor-derived adhesion factor, TAF

Sequence Note

Ser27-Leu282

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.


Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image



SDS-PAGE analysis of recombinant human IGFBP7.

Disclaimer : For Research Use or Further Manufacturing Only.