

Anti-IL-6 Antibody [Clone 3-5]

Catalog Number	LDG0180YA
Package	100 μg / Customized package

For full product information, images and publications, please visit our website.



Overview

Description

Interleukin-6 (IL-6) is a pleiotropic, 22-28 kDa cytokine which plays fundamental role in the acute phase response, inflammation, bone metabolism, lymphocyte differentiation and cancer progression. Deregulation of IL-6 production was also found in several diseases, including rheumatoid arthritis, Alzheimer's disease, autoimmune deficiency disease and different types of cancer.

Product Note

Recognize IL-6 in ELISA, when clone 3-5 antibody was paired with Anti-IL-6 Antibody [clone 9D9] (cat. LDG0026YA).

Recommended dilution factor:

ELISA: 1:5000-20000 WB: 1:1000-1:5000 IFA: 1:500-1:1000

FACS: Assay dependent

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Host Clonality Mouse Monoclonal Isotype IgG1 Clone Name Clone 3-5

Tainan Headquarter

Innovation & Research Center

CLD Center



Immunogen

Recombinant human IL-6 protein

Application

ELISA

Concentration

1 mg/mL

Specificity

Interleukin 6

Reactivity

Human

Conjugation

Unconjugated

Storage Buffer

Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.

Form

Liquid

Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage


This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

Image





ELISA titration of Anti-IL-6 Antibody [Clone 3-5] Titration curve of anti-IL-6 antibody in ELISA. Red: IL-6; Green: BSA (negative control).

Disclaimer: For Research Use or Further Manufacturing Only.