

Swine EGF, His Tag, E. coli

Catalog Number LDG023PSE

Package package 5 μg / 20 μg / 100 μg / 1 mg / Customized

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression System Escherichia coli
Affinity Tag His Tag (C-term)	Storage Buffer Lyophilized from a 0.2 μm filtered solution of PBS, pH 8.0.
Purity >95% as determined by SDS-PAGE analysis.	Molecular weight The protein has a calculated MW of 7.09 kDa. The protein migrates below 11 kDa under reducing condition (SDS-PAGE analysis).
Endotoxin Level <0.1 EU per 1 μ g of the protein by the LAL method.	Form Lyophilized

Background

Tainan Headquarter

☑ bd@leadgene.com.tw

Innovation & Research Center

CLD Center

& +886-6-253<u>6677</u>

& +886-2-27065528

& +886-6-2536677



Background

EGF is mainly secreted from ectodermal cells, monocytes, kidney and duodenal glands. Upon binding to its receptor, EGFR, EGF acts to stimulate cell growth and proliferation of epithelial cells, play important roles in many developmental processes including accelerate tooth eruption, inhibits gastric acid secretion, and involve in wound healing.

Uniprot ID

#Q00968

Synonyms

Pro-epidermal Growth Factors, EGF

The product is shipped with polar packs. Upon

receipt, store it immediately at -20°C or lower

Sequence Note

Asn970-Arg1022

Shipping

for long term storage.

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image

Tainan Headquarter

Innovation & Research Center

CLD Center


& +886-6-2536677

♦ +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw





SDS-PAGE analysis of recombinant swine EGF.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

® +886-6-2536677

® +886-2-2706<u>5528</u>

& +886-6-2536677

☑ bd@leadgene.com.tw