

## Mouse IL-20, His Tag, E. coli

Catalog Number LDG045PME

**Package** 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



### **Specifications**

**Species of Origin** 

Mouse

**Affinity Tag** 

His Tag (C-term)

**Purity** 

>98% as determined by SDS-PAGE analysis.

**Activity** 

Measure by its ability to induce proliferation in BaF3 cells transfected with human IL-20 R alpha and human IL-20 R beta. The ED $_{50}$  for this effect is <2 ng/mL.

Form

Lyophilized

**Expression System** 

Escherichia coli

**Storage Buffer** 

Lyophilized from a 0.2  $\mu m$  filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 18.52 kDa. The protein migrates as 11-17 kDa under reducing condition (SDS-PAGE analysis).

**Endotoxin Level** 

<0.1 EU per 1  $\mu g$  of the protein by the LAL method.

**Background** 



#### **Background**

Interleukin 20 (IL-20) predicts a molecular mass of 17.6 kDa. The IL-20 subfamily of cytokines is comprised of IL-19, IL-20, IL-22, IL-24, and IL-26. It regulates of differentiation of keratinocytes during inflammation, the expansion of multipotential hematopoietic progenitor cells.

# Synonyms

Interleukin-20, IL-20, Cytokine Zcyto10

#### **Uniprot ID**

#Q9JKV9

#### **Sequence Note**

Leu25-Leu176

#### Instruction

#### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile  $H_2O$  to a concentration not less than 200  $\mu g/mL$  and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

#### **Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

#### **Stability & Storage**


This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

#### **Image**





SDS-PAGE analysis of recombinant mouse IL-20.

**Disclaimer:** For Research Use or Further Manufacturing Only.