

Human FGF-14, His Tag, E. coli

Catalog Number LDG079PHE

Package 5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Human

Affinity Tag

His Tag (N-term)

Purity

>95% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to induce 3T3 cells proliferation. The ED₅₀ for this effect is <21 ng/mL.

Form

Lyophilized

Expression System

Escherichia coli

Storage Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 28.28 kDa. The protein migrates as 33 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin Level

<0.1 EU per 1 µg of the protein by the LAL method.

Background

Tainan Headquarter

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

Fibroblast Growth Factors-14 (FGF-14) is a 27.7 kDa member of the fibroblast Growth Factors with 247 amino acid residues. FGF-14 is mainly expressed from brain, cervix. FGF-14 involved in nervous system development and function. May regulate voltage-gated sodium channels transport and function.

Uniprot ID

#Q92915

Synonyms

Fibroblast Growth Factors 14, Fibroblast Growth Factors homologous factor 4, FHF-4

Sequence Note

Ala2-Thr246

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:


- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image



Human FGF-14, His Tag, E. coli (LDG079PHE) induced 3T3 cell proliferation, with the ED₅₀ at 20.35 ng/mL.



SDS-PAGE analysis of recombinant human FGF-14.

Disclaimer : For Research Use or Further Manufacturing Only.