

## Human BMP-5, His Tag, E. coli

Catalog Number LDG102PHE

**Package** 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



### **Specifications**

**Species of Origin** 

Human

**Affinity Tag** 

His Tag (C-term)

**Purity** 

>98% as determined by SDS-PAGE analysis.

**Activity** 

Measure by its ability to induce alkaline phosphatase production by ATDC5 cells. The ED $_{50}$  for this effect is <0.17  $\mu g/mL$ .

Form

Lyophilized

**Expression System** 

Escherichia coli

**Storage Buffer** 

Lyophilized from a 0.2  $\mu m$  filtered solution containing 20 mM sodium citrate and 0.2 M NaCl, pH 4.5.

Molecular weight

The protein has a calculated MW of 16.57 kDa. The protein migrates as 17 kDa under reducing condition (SDS-PAGE analysis).

**Endotoxin Level** 

<0.1 EU per 1  $\mu$ g of the protein by the LAL method.

**Background** 

Tainan Headquarter

**Innovation & Research Center** 

**CLD Center** 



#### **Background**

Bone Morphogenetic Protein-5 (BMP-5) is an extracellular multifunctional signaling cytokine that is also a member of the TGF- $\beta$  family. BMP-5 can bind with TGF- $\beta$  receptors and trigger SMAD protein signal transduction. It is involved in many negatively regulated physiological processes, such as the aldosterone biosynthetic process and epithelial to mesenchymal transition. BMP-5 also plays a vital role in cartilage synthesis.

#### **Synonyms**

Bone morphogenetic protein 5

#### **Uniprot ID**

#P22003

### **Sequence Note**

Val341-His454

#### Instruction

#### Reconstitution

It is recommended to reconstitute the lyophilized protein in 4 mM HCl to a concentration not less than 200  $\mu$ g/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

# Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

#### **Stability & Storage**


This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

#### **Image**





SDS-PAGE analysis of recombinant human BMP-5.

**Disclaimer:** For Research Use or Further Manufacturing Only.