

## Human CXCL1, His Tag, E. coli

Catalog Number LDG153PHE

**Package** 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



## **Specifications**

**Species of Origin** 

Human

**Affinity Tag** 

His Tag (N-term)

**Purity** 

>98% as determined by SDS-PAGE analysis.

**Activity** 

Measure by its ability to chemoattract human THP1 cells using a concentration range of 10-100 ng/mL.

**Form** 

Lyophilized

**Expression System** 

Escherichia coli

**Storage Buffer** 

Lyophilized from a 0.2  $\mu m$  filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 8.67 kDa. The protein migrates as 10 kDa under reducing condition (SDS-PAGE analysis).

**Endotoxin Level** 

<0.1 EU per 1  $\mu g$  of the protein by the LAL method.

**Background** 



## **Background**

C-X-C motif chemokine 1 (CXCL1) also named Growth-regulated oncogene alpha (GRO $\alpha$ ), which is a chemokine of the intercrine alpha family. CXCL1 is a 7.9 kDa protein containing 73 amino acid residues. CXCL1 is expressed in immune cells such as macrophage and neutrophils. CXCL1 plays an important role with immune responses and cancer progression. CXCL1 activates the cell signal transduction with casepas1 that affect the cell proliferation, differentiation and migration.

#### **Synonyms**

Growth-regulated alpha protein, C-X-C motif chemokine 1, GRO-alpha, 1-73, Melanoma growth stimulatory activity, MGSA, Neutrophilactivating protein 3, NAP-3, 4-73, 5-73, 6-73

### **Uniprot ID**

# P09341 1

#### **Sequence Note**

Ala35-Asn107

## Instruction

## Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile  $H_2O$  to a concentration not less than 200  $\mu$ g/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

# Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

### Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.


## **Image**

Tainan Headquarter

**Innovation & Research Center** 

**CLD Center** 





SDS-PAGE analysis of recombinant human CXCL1.

**Disclaimer:** For Research Use or Further Manufacturing Only.