

Anti-DENV Capsid Antibody [Clone 25-4]

Catalog Number LDG0014YA

Package

100 μg / Customized package

For full product information, images and publications, please visit our website.



Overview

Description

Dengue virus belongs to the family Flaviviridae, genus Flavivirus and consists of four distinct serotypes (DENV1 to 4). Dengue virus is transmitted by mosquitos majorly of species Aedes aegypti and Aedes Albopictus that widespread around tropics and subtropics. Capsid protein is a small protein with very particular structural features, playing an integral role in replication and pathogenesis. Capsid protein interacts with host components, and thus is the potential drug target against DENV infection.

Product Note

Recommended dilution factor: ELISA: 1:5000-20000 WB: 1:1000-5000 IFA: 1:500-1000 FACS: Assay dependent

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications

☑ bd@leadgene.com.tw

Host	Clonality
Mouse	Monoclonal
Isotype	Clone Name
lgG2b	clone 25-4

Tainan Headquarter	Innovation & Research Center	CLD Center
& +886-6-2536677	® +886-2-27065528	® +886-6-2536677



Immunogen	Reactivity
Dengue virus Capsid	Dengue virus
Application	Conjugation
ELISA, WB, IFA, FACS	Unconjugated
Concentration	Buffer
1 mg/mL	Phosphate Buffered Saline containing 0.03%
	ProClin 300, pH 7.4.
Specificity	Form
capsid	Liquid

Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

Image

Tainan Headquarter

Innovation & Research Center

CLD Center


& +886-6-2536677


♦ +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw







ELISA titration of DENV Capsid antibody

Western blotting analysis of DENV Capsid antibody (1:1000) Lane 1: ZIKV-infected C636 cell lysate Lane 2: DENV 1-infected C636 cell lysate Lane 3: DENV 2-infected C636 cell lysate Lane 4: DENV 3-infected C636 cell lysate Lane 5: DENV 4-infected C636 cell lysate Lane 5: C636 cell lysate

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +88<u>6-6-2536677</u>

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw