

Mouse BMP-4, His Tag, E. coli

Catalog Number LDG063PME

Package

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

| Species of Origin Mouse | Expression system Escherichia coli |
|--|---|
| | |
| Affinity Tag | Buffer |
| His Tag (C-term) | Lyophilized from a 0.2 μ m filtered solution of |
| | PBS, pH 8.0. |
| Purity | Molecular weight |
| >98% as determined by SDS-PAGE analysis. | The protein has a calculated MW of 12.88 kDa. |
| | The protein migrates as 11-17 kDa under |
| | reducing condition (SDS-PAGE analysis). |
| Activity | Endotoxin level |
| Measure by its ability to induce alkaline | <0.1 EU per 1 μ g of the protein by the LAL |
| phosphatase production by ATDC5 cells. The | The protein by the LAC method. |
| | methou. |
| ED_{50} for this effect is <10 ng/mL. The specific | |
| activity of recombinant mouse BMP-4 is $> 1 x$ | |
| 10⁵ IU/mg. | |

Form

Lyophilized

Background

Tainan Headquarter

Innovation & Research Center

CLD Center

® +886-6-2536677

& +886-2-27065528

& +886-6-2536677

 \square bd@leadgene.com.tw



Background

Bone Morphogenetic Protein-4 (BMP-4) predicts a molecular mass of 13 kDa, is a vital regulatory molecule that functions throughout human development in mesoderm induction, tooth development, limb formation, bone induction, and fracture repair and is overexpressed in patients who have fibrodysplasia ossificans progressiva. BMP-4 is a critical signaling molecule required for the early differentiation of the embryo and establishing of a dorsal-ventral axis. BMP-4 is secreted from the dorsal portion of the notochord, and it acts in concert with sonic hedgehog to establish a dorsal-ventral axis for the differentiation of later structures.

Uniprot ID

#P21275

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Synonyms

Bone morphogenetic protein 4, BMP-4, Bone morphogenetic protein 2B, BMP-2B

Sequence Note

Lys303-Arg408

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

☑ bd@leadgene.com.tw



Image

| kDa | Μ |
|-----|---|
| 75 | |
| 60 | |
| 45 | |
| 35 | |
| 25 | - |
| 15 | |
| 10 | |
| | |

SDS-PAGE analysis of recombinant mouse BMP-4.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

® +886-6-2536677

& +886-2-2706<u>5528</u>

& +8<u>86-6-2536677</u>

 \bowtie bd@leadgene.com.tw