

Human FGF-18, His Tag, E. coli

Catalog Number LDG082PHE

Package 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Human

Affinity Tag

His Tag (C-term)

Purity

>98% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to induce 3T3 cells proliferation. The ED $_{50}$ for this effect is 1.3-2.0 ng/mL. The specific activity of recombinant human FGF-18 is > 5 x 10 5 IU/mg.

Form

Lyophilized

Expression system

Escherichia coli

Buffer

Lyophilized from a 0.2 μm filtered solution of PBS, pH 8.0.

Molecular weight

The protein has a calculated MW of 21.11 kDa. The protein migrates as 20 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin level

<0.1 EU per 1 μg of the protein by the LAL method.

Background

Tainan Headquarter

Innovation & Research Center

CLD Center



Background

Fibroblast Growth Factors-18 (FGF-18) is a 24 kDa member of the fibroblast Growth Factors with 207 amino acid residues. FGF-18 is mainly expressed from glandular and luminal cells, cardiomyocytes, breast myoepithelial cells and endometrial ciliated cells. FGF-18 involved cell proliferation, cell differentiation and cell migration. FGF-18 is an important role in skeletal growth and development, stimulates hepatic and intestinal proliferation.

Synonyms

zFGF5, Fibroblast Growth Factors 18

Uniprot ID

#076093

Sequence Note

Ala27-Arg199

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 200 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage


This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image





SDS-PAGE analysis of recombinant human FGF-18.

Disclaimer: For Research Use or Further Manufacturing Only.