

Human TfR, His Tag, CHO

Catalog Number LDG096PHM

Package 5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Human

Affinity Tag

His Tag (N-term)

Purity

>95% as determined by SDS-PAGE analysis.

Activity

Measured by its ability to bind recombinant human Transferrin protein, with the ED50 being < 4 µg/mL when immobilized at 2 µg/mL

Mycoplasma

Not detected

Expression system

CHO

Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 75.98 kDa. The protein migrates as 45-75 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin level

<0.1 EU per 1 µg of the protein by the LAL method.

Form

Lyophilized

Background

Tainan Headquarter

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

Transferrin receptor (TfR) is involved in iron uptake by mediating the endocytosis of transferrin-bound iron into cells, commonly overexpressed in cancers.

Uniprot ID

P02786

Synonyms

Transferrin receptor protein 1, TR, TfR, TfR1, Trfr, T9, p90, CD71

Sequence Note

Cys89-Phe760

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image

Tainan Headquarter

+886-6-2536677


bd@leadgene.com.tw

Innovation & Research Center


+886-2-27065528

CLD Center

+886-6-2536677



Human TfR Protein, His Tag, CHO (LDG096PHM) binds recombinant human Transferrin protein, with the ED50 being < 4 $\mu\text{g}/\text{mL}$ when immobilized at 2 $\mu\text{g}/\text{mL}$



SDS-PAGE analysis of recombinant human TfR.

Disclaimer : For Research Use or Further Manufacturing Only.