

Human BMP-15, His Tag, E. coli

Catalog Number LDG113PHE

Package 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Human

Affinity Tag

His Tag (C-term)

Purity

>98% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to induce alkaline phosphatase production by ATDC5 cells. The ED $_{50}$ for this effect is <17 ng/mL.

Form

Lyophilized

Expression system

Escherichia coli

Buffer

Lyophilized from a 0.2 μm filtered solution containing 20 mM sodium citrate and 0.2 M NaCl, pH 4.5.

Molecular weight

The protein has a calculated MW of 14.88 kDa. The protein migrates as 13-18 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin level

<0.1 EU per 1 μ g of the protein by the LAL method.

Background

Tainan Headquarter

Innovation & Research Center

CLD Center



Background

Bone Morphogenetic Protein-15 (BMP-15) is an extracellular multifunctional signaling cytokine that is also a member of the TGF β family. In the ovarian follicles, BMP-15 has a vital role in regulating the growth and maturation of follicles, the sensitivity of granulosa cells to FSH, and preventing granulosa cells from apoptosis. In addition, BMP-15 and GDF9 cooperate and have the same interaction on target cells.

Synonyms

Growth/differentiation factor 9B, GDF-9B, Bone morphogenetic protein 15

Uniprot ID

#095972

Sequence Note

Gln268-Arg392

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in 4 mM HCl to a concentration not less than 200 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.


Stability & Storage

This product is stable after storage at:


- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image



Human BMP-15, His Tag, E. coli (LDG113PHE) induced alkaline phosphatase production by ATDC5 cells, with the ED50 at 16.6 ng/mL.



SDS-PAGE analysis of recombinant human BMP-15.

Disclaimer: For Research Use or Further Manufacturing Only.