

## Human GDNF, His Tag, E. coli

<b>Catalog Number</b>	LDG132PHE
<b>Package</b>	5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



### Specifications

#### Species of Origin

Human

#### Affinity Tag

His Tag (C-term)

#### Purity

>95% as determined by SDS-PAGE analysis.

#### Activity

Measure by its ability to induce proliferation in SH-SY5Y cells. The ED<sub>50</sub> for this effect is <10 ng/mL.

#### Form

Lyophilized

#### Expression system

Escherichia coli

#### Buffer

Lyophilized from a 0.2 µm filtered solution containing 20 mM sodium citrate and 0.2 M NaCl, pH 4.5.

#### Molecular weight

The protein has a calculated MW of 16.01 kDa. The protein migrates as 16 kDa under reducing condition (SDS-PAGE analysis).

#### Endotoxin level

<0.1 EU per 1 µg of the protein by the LAL method.

### Background

#### Tainan Headquarter

+886-6-2536677

bd@leadgene.com.tw

#### Innovation & Research Center

+886-2-27065528

#### CLD Center

+886-6-2536677

### Background

Glial cell line-derived neurotrophic factor (GDNF) is the neurotrophic factor, belonging to the GDNF family of ligands (GFL) and identifying as a therapeutic candidate in Parkinson's disease. GDNF is a 23.7 kDa protein containing 211 residues that plays a critical role in promoting the survival and differentiation of midbrain dopamine neurons. Besides, GDNF is revealed to facilitate the development of peripheral tissues such as kidney, pancreas and lung. Additionally, as a member of GFL, GDNF also takes part in the progression of tumor.

### Uniprot ID

#P39905

### Synonyms

Glial cell line-derived neurotrophic factor, GDNF, Astrocyte-derived trophic factor, ATF

### Sequence Note

Ser78-Ile211

## Instruction

### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H<sub>2</sub>O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

### Stability & Storage

This product is stable after storage at:


- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

### Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image



SDS-PAGE analysis of recombinant human GDNF.

**Disclaimer :** For Research Use or Further Manufacturing Only.